



10501 Trade Court  
 N. Chesterfield, VA 23236  
 804.897.1177 / 888.895.1177  
 Fax 804.897.0070  
 sanair.com

**Legionella**  
**Chain of Custody**  
 Form #69, Revision 6, 1/4/2022

SanAir ID Number

Company:	Project Number:	Phone #:
Address:	Project Name:	Phone #:
City, State, Zip:	Date Collected:	Fax #:
Account #:	P.O. Number:	Email:
Samples Collected By:	State Sample Taken In:	Email:

Sample #	Sample Site	Sample Type*	Water System**	Biocides Present?	Sample Volume	Sample Temp.	Sampling Time	Sampling Date	Free Halogen
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					
		W / SL / SW	CT / CL / OL / PR / E / S / T / F	Yes / No					

\*Sample Type: W = Water, SL = Slime, SW = Swab

\*\*Water System: CT = Cooling Tower, CL = Closed Loop, OL = Open Loop, PR = Process Water  
 EW = Equipment Water, S = Sink, T = Tub, F = Fountain

If biocides are present, please list names: \_\_\_\_\_ Inactivating Agent Used: Yes / No

Samples Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Shipment Time: \_\_\_\_\_ Page \_\_\_\_ of \_\_\_\_

**If no technician is provided, then the primary contact for your account will be selected.**

For Office Use, Only

Samples Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Receiving Time: \_\_\_\_\_

Sample Temp. At Receipt: \_\_\_\_\_ Samples Were Subjected To ISO/OSHA Criteria and Were  Accepted  Rejected (Tech. Initials: \_\_\_\_\_)